

**PUMA**   
**AIR CENTER**  
Made in TAIWAN  
**AIR TOOLS**

**SPRING BALANCER**  
**AA-2003**

Capacity: ..... 0.6-1.5  
Travel: ..... 1.6 m



**SPRING BALANCER**  
**AA-2108**

Capacity: ..... 1-2 kg  
Travel: ..... 1.6 m



**SPRING BALANCER**  
**AA-2004**

Capacity: ..... 1.5-3 kg  
Travel: ..... 1.6 m



**SPRING BALANCER**  
**AA-2109**

Capacity: ..... 2-3 kg  
Travel: ..... 1.6 m



**SPRING BALANCER**  
**AA-2007**

Capacity: ..... 3-5 kg  
Travel: ..... 1.5 m



**SPRING BALANCER**  
**AA-2017**

Capacity: ..... 1.5-3 kg  
Travel: ..... 1.3 m



**SPRING BALANCER**  
**AA-2016**

Capacity: ..... 3-5 kg  
Travel: ..... 1.3 m



**SPRING BALANCER**  
**AA-2013**

Capacity: ..... 5-7 kg  
Travel: ..... 1.3 m



**SPRING BALANCER**  
**AA-2015**

Capacity: ..... 9-15 kg  
Travel: ..... 1.3 m



**SPRING BALANCER**  
**AA-2019**

Capacity: ..... 5-9 kg  
Travel: ..... 1.3 m



**SPRING BALANCER**  
**AA-2006**

Capacity: ..... 0-1.5kg  
Travel: ..... 1.5 m  
Hose Size: ..... 8x5 mm



**Air Hose Reel**  
**AA-2206B**

Capacity: ..... --- kg  
Travel: ..... 15 m  
Hose Size: ..... 8x12 mm  
Lock every one meter



### 3/8 Inch

#### AT-5030

Square Drive: ..... 3/8 inch  
Free Speed: ..... 10000 rpm  
Max Torque: ..... 102 Nm  
Overall Length: ..... 160 mm  
Air Consumption: .. 226 L/min  
Net Weight: ..... 0.90 kg



### 3/8 Inch

#### AT-5031

Square Drive: ..... 3/8 Inch  
Free Speed: ..... 9000 rpm  
Max Torque: ..... 258 Nm  
Overall Length: ..... 155 mm  
Air Consumption: .. 283 L/min  
Net Weight: ..... 1.15 kg



### 3/8 Inch

#### AT-5133

Square Drive: ..... 3/8 Inch  
Free Speed: ..... 10000 rpm  
Max Torque: ..... 190 Nm  
Overall Length: ..... 150 mm  
Air Consumption: .. 226 L/min  
Net Weight: ..... 1.35 kg



### 1/2 Inch

#### AT-5040

Square Drive: ..... 1/2 inch  
Free Speed: ..... 7000 rpm  
Max Torque: ..... 312 Nm  
Overall Length: ..... 178 mm  
Air Consumption: .. 382 L/min  
Net Weight: ..... 2.24kg



### 1/2 Inch

#### AT-5041

Square Drive: ..... 1/2 inch  
Free Speed: ..... 7000 rpm  
Max Torque: ..... 434 Nm  
Overall Length: ..... 190 mm  
Air Consumption: .. 297 L/min  
Net Weight: ..... 2.30 kg



### 1/2 Inch

#### AT-5044

Square Drive: ..... 1/2 inch  
Free Speed: ..... 7000 rpm  
Max Torque: ..... 678 Nm  
Overall Length: ..... 185 mm  
Air Consumption: .. 340 L/min  
Net Weight: ..... 2.64 kg



### 1/2 Inch

#### AT-5148

Square Drive: ..... 1/2 inch  
Free Speed: ..... 7000 rpm  
Max Torque: ..... 949 Nm  
Overall Length: ..... 197 mm  
Air Consumption: .. 425 L/min  
Net Weight: ..... 2.86kg



### 1/2 Inch mini

#### AT-5445

Square Drive: ..... 1/2 inch  
Free Speed: ..... 10000 rpm  
Max Torque: ..... 542 Nm  
Overall Length: ..... 128 mm  
Air Consumption: .. 283 L/min  
Net Weight: ..... 1.57 kg



### 1/2 Inch mini

#### AT-5546

Square Drive: ..... 1/2 inch  
Free Speed: ..... 11000 rpm  
Max Torque: ..... 542 Nm  
Overall Length: ..... 99 mm  
Air Consumption: .. 340 L/min  
Net Weight: ..... 1.36 kg



### 3/4 Inch

#### AT-5067

Square Drive: ..... 3/4 inch  
Free Speed: ..... 7000 rpm  
Max Torque: ..... 949 Nm  
Overall Length: ..... 220 mm  
Air Consumption: .. 452 L/min  
Net Weight: ..... 2.96 kg



### 3/4 Inch

#### AT-5165

Square Drive: ..... 3/4 inch  
Free Speed: ..... 5500 rpm  
Max Torque: ..... 1356 Nm  
Overall Length: ..... 216 mm  
Air Consumption: .. 453 L/min  
Net Weight: ..... 6.15 kg



### 1 Inch

#### AT-5186P

Square Drive: ..... 1 inch  
Free Speed: ..... 3500 rpm  
Max Torque: ..... 2170 Nm  
Overall Length: ..... 300 mm  
Air Consumption: .. 665 L/min  
Net Weight: ..... 9.60 kg



### 1 Inch

#### AT-5186L

Square Drive: ..... 1 inch  
Free Speed: ..... 4000 rpm  
Max Torque: ..... 2441 Nm  
Overall Length: ..... 536 mm  
Air Consumption: .. 708 L/min  
Net Weight: ..... 10.60 kg



### 1/2 ANGLE

#### AT-5447

Square Drive: ..... 1/2 inch  
Free Speed: ..... 7100 rpm  
Max Torque: ..... 217 Nm  
Overall Length: ..... 340 mm  
Air Consumption: .. 311 L/min  
Net Weight: ..... 1.83 kg



### 1/2 STRAIGHT

#### AT-5440J

Square Drive: ..... 1/2 inch  
Free Speed: ..... 7500 rpm  
Max Torque: ..... 190 Nm  
Overall Length: ..... 210 mm  
Air Consumption: .. 170 L/min  
Net Weight: ..... 2.43 kg





# RATCHET WRENCH & NAILER

**PUMA**  
AIR CENTER

## RATCHET WRENCH AT-5250

Square Drive: ..... 1/4 Inch  
Free Speed: ..... 250 rpm  
Max Torque: ..... 20 N/m  
Overall Length: ..... 130 mm  
Air Consumption: .. 142 L/min  
Net Weight: ..... 0.42 kg



## RATCHET WRENCH AT-5053

Square Drive: ..... 1/2 Inch  
Free Speed: ..... 160 rpm  
Max Torque: ..... 68 N/m  
Overall Length: ..... 265 mm  
Air Consumption: .. 269 L/min  
Net Weight: ..... 1.2 kg



## RATCHET WRENCH AT-5054

Square Drive: ..... 1/2 inch  
Free Speed: ..... 150 rpm  
Max Torque: ..... 122 N/m  
Overall Length: ..... 366 mm  
Air Consumption: .. 368 L/min  
Net Weight: ..... 2.00 kg



## AIR NAILER AT-3070

Fastener: ... Tipo 20-64 mm  
Overall Length: ..... 330 mm  
Air Consumption: .. — L/Cycle  
Net Weight: ..... 2.56 kg



## AIR NAILER AT-3080

Fastener: ... T 25-64 mm  
Overall Length: ..... 305 mm  
Air Consumption: .. — L/Cycle  
Net Weight: ..... 2.35 kg



## AIR NAILER AT-3010

Fastener: ... SK 10-32 mm  
Overall Length: ..... 235 mm  
Air Consumption: .. — L/Cycle  
Net Weight: ..... 1.1 kg



## AIR NAILER AT-3012

Fastener: ... SK 15-50 mm  
Overall Length: ..... 243 mm  
Air Consumption: .. — L/Cycle  
Net Weight: ..... 1.42 kg



## AIR NAILER AB-3086

Fastener: ... Headless Pinner  
Overall Length: ..... 227 mm  
Air Consumption: .. — L/Cycle  
Net Weight: ..... 0.86 kg



## AIR NAILER AB-3121

Fastener: ..... mm15  
Overall Length: ..... 220 mm  
Air Consumption: .. — L/Cycle  
Net Weight: ..... 1.2 kg



## AIR NAILER AT-3124

Fastener: ..... V 7-15 mm  
Overall Length: ..... 250 mm  
Air Consumption: .. — L/Cycle  
Net Weight: ..... 1.3 kg



## CARTON STAPLER AT-3101A

Fastener: ..... 35x18 mm  
Overall Length: ..... 415 mm  
Net Weight: ..... 2.65 kg



## STAPLER AT-3033

Fastener: ..... 80x25 mm  
Overall Length: ..... 224 mm  
Air Consumption: .. — L/min  
Net Weight: ..... 0.84 kg



## AIR Regulator/ Filter AA-2024FR

Size: ..... 1/2 inch



## AIR CONTROL UNIT AA-2121

Size: ..... 1/4 inch



## AIR CONTROL UNIT AT-2024

Size: ..... 1/2 inch



مونتاز تکنیک  
Montage Technique

خیابان امام خمینی، نرسیده به میخان حسن آباد، پاساژ رشید، طبقه همکف، پلاک ۹  
تلفن: ۶۶۷۵۰۰۲۵ (خط ویژه) فکس: ۶۶۷۵۰۰۲۷ واتس آپ: ۹۳۹۶۷۵۰۰۲۵  
www.pumaair.ir E-mail: info@pumaair.ir

Made in TAIWAN

# AIR SCREWDRIVER (Straight)

## CUSHION CLUTCH AT-4050A

Bit Size: ..... 1/4 inch  
Free Speed: ..... 1700 rpm  
Max Torque: ..... 3.5 Nm  
Overall Length: ..... 235 mm  
Air Consumption: .. 156 L/min  
Net Weight: ..... 0.61 kg



## CUSHION CLUTCH AT-4059

Bit Size: ..... 1/4 inch  
Free Speed: ..... 1450 rpm  
Max Torque: ..... 5 Nm  
Overall Length: ..... 279 mm  
Air Consumption: .. 141 L/min  
Net Weight: ..... 0.97 kg



## CUSHION CLUTCH AT-4085

Bit Size: ..... 1/4 inch  
Free Speed: ..... 1800 rpm  
Max Torque: ..... 13 Nm  
Overall Length: ..... 265 mm  
Air Consumption: .. 283 L/min  
Net Weight: ..... 1.16 kg



## CUSHION CLUTCH AT-4057

Bit Size: ..... 1/4 inch  
Free Speed: ..... 800 rpm  
Max Torque: ..... 3 Nm  
Overall Length: ..... 226 mm  
Air Consumption: .. 113 L/min  
Net Weight: ..... 0.76 kg



## CUSHION CLUTCH AT-4054

Bit Size: ..... 1/4 inch  
Free Speed: ..... 800 rpm  
Max Torque: ..... 2.5-11 Nm  
Overall Length: ..... 283 mm  
Air Consumption: .. 232 L/min  
Net Weight: ..... 1.22 kg



## IMPACT TYPE AT-4070A

Bit Size: ..... 1/4 inch  
Free Speed: ..... 7000 rpm  
Max Torque: ..... 68 Nm  
Overall Length: ..... 220 mm  
Air Consumption: .. 212 L/min  
Net Weight: ..... 1.06 kg



## IMPACT TYPE AT-4167

Bit Size: ..... 1/4 inch  
Free Speed: ..... 8000 rpm  
Max Torque: ..... 88 Nm  
Overall Length: ..... 200 mm  
Air Consumption: .. 198 L/min  
Net Weight: ..... 0.99 kg



## IMPACT TYPE AT-4060

Bit Size: ..... 1/4 inch  
Free Speed: ..... 11000 rpm  
Max Torque: ..... 34 Nm  
Overall Length: ..... 178 mm  
Air Consumption: .. 142 L/min  
Net Weight: ..... 0.70 kg



## IMPACT TYPE AT-4060A

Bit Size: ..... 1/4 inch  
Free Speed: ..... 11000 rpm  
Max Torque: ..... 34 Nm  
Overall Length: ..... 185 mm  
Air Consumption: .. 142 L/min  
Net Weight: ..... 0.72 kg



## PUSH START-CUSHION CLUTCH AT-4056

Bit Size: ..... 1/4 inch  
Free Speed: ..... 1700 rpm  
Max Torque: ..... 3.5 Nm  
Overall Length: ..... 235 mm  
Air Consumption: .. 156 L/min  
Net Weight: ..... 0.6 kg



## PUSH START-SHUT OFF AT-4013

Bit Size: ..... 1/4 inch  
Free Speed: ..... 1000 rpm  
Max Torque: ..... 1.2-2.2 Nm  
Overall Length: ..... 229 mm  
Air Consumption: .. 142 L/min  
Net Weight: ..... 0.71 kg



## PUSH START-SHUT OFF AT-4015

Bit Size: ..... 1/4 inch  
Free Speed: ..... 650 rpm  
Max Torque: ..... 3.7 Nm  
Overall Length: ..... 250 mm  
Air Consumption: .. 156 L/min  
Net Weight: ..... 0.93 kg



## CUSHION CLUTCH AT-4052

Bit Size: ..... 1/4 inch  
Free Speed: ..... 1600 rpm  
Max Torque: ..... 4 Nm  
Overall Length: ..... 230 mm  
Air Consumption: .. 142 L/min  
Net Weight: ..... 0.76 kg



## IMPACT TYPE AT-4262

Bit Size: ..... 1/4 inch  
Free Speed: ..... 7500 rpm  
Max Torque: ..... 27 Nm  
Overall Length: ..... 233 mm  
Air Consumption: .. 170 L/min  
Net Weight: ..... 1.22 kg



## IMPACT TYPE AT-4067

Bit Size: ..... 1/4 inch  
Free Speed: ..... 6500 rpm  
Max Torque: ..... 41 Nm  
Overall Length: ..... 260 mm  
Air Consumption: .. 207 L/min  
Net Weight: ..... 1.45 kg





# AIR SCREWDRIVER (Pistol type)

**PUMA**  
AIR CENTER

## CUSHION CLUTCH AT-4080

Bit Size: ..... 1/4 inch  
Free Speed: ..... 1800 rpm  
Max Torque: ..... 5.1-13 Nm  
Overall Length: ..... 210 mm  
Air Consumption: .. 340 L/min  
Net Weight: ..... 1.14 kg



## CUSHION CLUTCH AT-4080A

Bit Size: ..... 1/4 inch  
Free Speed: ..... 800 rpm  
Max Torque: ..... 5.1-16.4 Nm  
Overall Length: ..... 225 mm  
Air Consumption: .. 340 L/min  
Net Weight: ..... 1.32 kg



## CUSHION CLUTCH AT-4083

Bit Size: ..... 1/4 inch  
Free Speed: ..... 1800 rpm  
Max Torque: ..... 2.5-9 Nm  
Overall Length: ..... 225 mm  
Air Consumption: .. 269 L/min  
Net Weight: ..... 1.28 kg



## CUSHION CLUTCH AT-4084

Bit Size: ..... 1/4 inch  
Free Speed: ..... 800 rpm  
Max Torque: ..... 2.5-12 Nm  
Overall Length: ..... 269 mm  
Air Consumption: .. 269 L/min  
Net Weight: ..... 1.43 kg



## CUSHION CLUTCH AT-4181

Bit Size: ..... 1/4 inch  
Free Speed: ..... 2400 rpm  
Max Torque: ..... 12 Nm  
Overall Length: ..... 220 mm  
Air Consumption: .. 184 L/min  
Net Weight: ..... 1.2 kg



## CUSHION CLUTCH AT-4186

Bit Size: ..... 1/4 inch  
Free Speed: ..... 1800 rpm  
Max Torque: ..... 6.2-13 Nm  
Overall Length: ..... 212 mm  
Air Consumption: .. 283 L/min  
Net Weight: ..... 1.01 kg



## SHUT OFF AT-4112

Bit Size: ..... 1/4 inch  
Free Speed: ..... 800 rpm  
Max Torque: ..... 1.6-3.1 Nm  
Overall Length: ..... 195 mm  
Air Consumption: .. 198 L/min  
Net Weight: ..... 0.98 kg



## SHUT OFF AT-4113

Bit Size: ..... 1/4 inch  
Free Speed: ..... 1450 rpm  
Max Torque: ..... 1.2-2.4 Nm  
Overall Length: ..... 195 mm  
Air Consumption: .. 198 L/min  
Net Weight: ..... 0.98 kg



## IMPACT TYPE AT-4068

Bit Size: ..... 1/4 inch  
Free Speed: ..... 10000 rpm  
Max Torque: ..... 41 Nm  
Overall Length: ..... 155 mm  
Air Consumption: .. 198 L/min  
Net Weight: ..... 0.9 kg



## IMPACT TYPE AT-4174

Bit Size: ..... 1/4 inch  
Free Speed: ..... 16000 rpm  
Max Torque: ..... 55 Nm  
Overall Length: ..... 185 mm  
Air Consumption: .. 255 L/min  
Net Weight: ..... 0.88 kg



**مونتاژ تکنیک**  
Mounting Technique

خیابان امام خمینی، نرسیده به میخان حسن آباد، پاساژ رشید، طبقه همگف، پلاک ۹  
تلفن: ۶۶۷۵۰۰۲۵ (خط ویژه) فکس: ۶۶۷۵۰۰۲۷ واتس آپ: ۰۹۳۹۶۷۵۰۰۲۵  
www.pumaair.ir E-mail: info@pumaair.ir

Made in TAIWAN

**REVERSIBLE  
AT-4031**

Chuck Size: ..... 10 mm  
Free Speed: ..... 1800 rpm  
Overall Length: ..... 195 mm  
Air Consumption: .. 283 L/min  
Net Weight: ..... 1.07 kg



**REVERSIBLE KEYLESS CHUCK  
AT-4031S**

Chuck Size: ..... 10 mm  
Free Speed: ..... 1800 rpm  
Overall Length: ..... 195 mm  
Air Consumption: .. 283 L/min  
Net Weight: ..... 1.07 kg



**REVERSIBLE COMPOSITE  
AT-4337R**

Chuck Size: ..... 3/8 inch  
Free Speed: ..... 1800 rpm  
Overall Length: ..... 195 mm  
Air Consumption: .. 283 L/min  
Net Weight: ..... 0.98 kg



**REVERSIBLE COMPOSITE  
AT-4233**

Chuck Size: ..... 10 mm  
Free Speed: ..... 1800 rpm  
Overall Length: ..... 192 mm  
Air Consumption: .. 240 L/min  
Net Weight: ..... 0.95 kg



**REVERSIBLE  
AT-4041**

Chuck Size: ..... 13 mm  
Free Speed: ..... 800 rpm  
Overall Length: ..... 228 mm  
Air Consumption: .. 340 L/min  
Net Weight: ..... 1.53 kg



**REVERSIBLE COMPOSITE  
AT-4237R**

Chuck Size: ..... 10 mm  
Free Speed: ..... 3000 rpm  
Overall Length: ..... 195 mm  
Air Consumption: .. 283 L/min  
Net Weight: ..... 1.30 kg



**ONE WAY  
AT-4020**

Chuck Size: ..... 6.5 mm  
Free Speed: ..... 4500 rpm  
Overall Length: ..... 158 mm  
Air Consumption: .. 226 L/min  
Net Weight: ..... 0.68 kg



**ONE WAY  
AT-4037**

Chuck Size: ..... 10 mm  
Free Speed: ..... 4500 rpm  
Overall Length: ..... 196 mm  
Air Consumption: .. 311 L/min  
Net Weight: ..... 1.15 kg



**STRAIGHT  
AT-4038**

Chuck Size: ..... 10 mm  
Free Speed: ..... 2600 rpm  
Overall Length: ..... 215 mm  
Air Consumption: .. 297 L/min  
Net Weight: ..... 0.92 kg



**STRAIGHT  
AT-4238**

Chuck Size: ..... 10 mm  
Free Speed: ..... 4500 rpm  
Overall Length: ..... 240 mm  
Air Consumption: .. 340 L/min  
Net Weight: ..... 1.08 kg



**STRAIGHT  
AT-4021**

Chuck Size: ..... 6.5 mm  
Free Speed: ..... 35000 rpm  
Overall Length: ..... 175 mm  
Air Consumption: .. 184 L/min  
Net Weight: ..... 0.35 kg



**SPOT DRILL  
AT-6054**

Chuck Size: ..... 8 mm  
Free Speed: ..... 1800 rpm  
Overall Length: ..... 260 mm  
Air Consumption: .. 340 L/min  
Net Weight: ..... 1.32 kg



**ANGLE  
AT-4035**

Chuck Size: ..... 10 mm  
Free Speed: ..... 1900 rpm  
Overall Length: ..... 195 mm  
Air Consumption: .. 255 L/min  
Net Weight: ..... 1.07 kg



**ANGLE  
AT-4036**

Chuck Size: ..... 10 mm  
Free Speed: ..... 1700 rpm  
Overall Length: ..... 215 mm  
Air Consumption: .. 255 L/min  
Net Weight: ..... 1.12 kg





## AIR GRINDER AT-7041



Grinding Size: ..... 7 Inch  
Free Speed: ..... 7000 rpm  
Overall Length: ..... 340 mm  
Air Consumption: .. 467 L/min  
Net Weight: ..... 3.2 kg

## AIR GRINDER AT-7037



Grinding Size: ..... 5 Inch  
Free Speed: ..... 12000 rpm  
Overall Length: ..... 230 mm  
Air Consumption: .. 340 L/min  
Net Weight: ..... 1.74 kg

## AIR GRINDER AT-7037R



Grinding Size: ..... 5 Inch  
Free Speed: ..... 12000 rpm  
Overall Length: ..... 225 mm  
Air Consumption: .. 340 L/min  
Net Weight: ..... 1.74 kg

**Roll Type**

## AIR GRINDER AT-7056R



Grinding Size: ..... 2 inch  
Free Speed: ..... 15000 rpm  
Overall Length: ..... 157 mm  
Air Consumption: .. 212 L/min  
Net Weight: ..... 0.66 kg

**Roll Type**

## AIR GRINDER AT-6027



Grinding Size: ..... 3 inch  
Free Speed: ..... 20000 rpm  
Overall Length: ..... 187 mm  
Air Consumption: .. 283 L/min  
Net Weight: ..... 0.78 kg

## DIE GRINDER AT-7032M



Collet Size: ..... 6 mm  
Free Speed: ..... 25000 rpm  
Overall Length: ..... 160 mm  
Air Consumption: .. 184 L/min  
Net Weight: ..... 0.36 kg

## DIE GRINDER AT-7033 M



Collet Size: ..... 6 mm  
Free Speed: ..... 22000 rpm  
Overall Length: ..... 170 mm  
Air Consumption: .. 226 L/min  
Net Weight: ..... 0.60 kg

## DIE GRINDER AT-7033LM



Collet Size: ..... 6 mm  
Free Speed: ..... 25000 rpm  
Overall Length: ..... 250 mm  
Air Consumption: .. 184 L/min  
Net Weight: ..... 0.64 kg

## DIE GRINDER 90° AT-7034M



Collet Size: ..... 6 mm  
Free Speed: ..... 18000 rpm  
Overall Length: ..... 160 mm  
Air Consumption: .. 184 L/min  
Net Weight: ..... 0.50 kg

## DIE GRINDER 115° AT-7136M



Collet Size: ..... 6 mm  
Free Speed: ..... 20000 rpm  
Overall Length: ..... 168 mm  
Air Consumption: .. 184 L/min  
Net Weight: ..... 0.5 kg

## MICRO DIE GRINDER AT-3170M



Collet Size: ..... 3 mm  
Free Speed: ..... 54000 rpm  
Overall Length: ..... 132 mm  
Air Consumption: .. 142 L/min  
Net Weight: ..... 0.23 kg

## MICRO DIE GRINDER AT-3180M



Collet Size: ..... 3 mm  
Free Speed: ..... 70000 rpm  
Overall Length: ..... 132 mm  
Air Consumption: .. 142 L/min  
Net Weight: ..... 0.23 kg

## AIR SAW AT-6011




Cutting Capacity: .... 1.6 Steel  
..... 2.5 Alum.  
Stroke Length: ..... 10 mm  
Overall Length: ..... 230 mm  
Stroke : ..... 10000 bpm  
Air Consumption: .. 142 L/min  
Net Weight: ..... 0.62 kg

## AIR SAW AT-6112



Cutting Capacity: .... 1.6 Steel  
..... 2.5 Alum.  
Stroke Length: ..... 10 mm  
Overall Length: ..... 240 mm  
Stroke : ..... 5000 bpm  
Air Consumption: .. 142 L/min  
Net Weight: ..... 1.08 kg

## AIR ENGRAVING PEN AT-6062



Blow: ..... 13000 bpm  
Overall Length: ..... 140 mm  
Air Consumption: .. 74 L/min  
Net Weight: ..... 0.22 kg





## AIR RIVETER AT-6315

Max Capacity: ..... 4.8 mm alum.  
Max Power: ..... 720 kg  
Stroke Length: ..... 14 mm  
Overall Length: ..... 230 mm  
Air Consumption: .. 0.85 L/min  
Net Weight: ..... 1.5 kg



## AIR RIVETER AT-6317

Max Capacity: ..... 4.8 mm alum.  
Max Power: ..... 910 kg  
Stroke Length: ..... 15 mm  
Overall Length: ..... 290 mm  
Air Consumption: .. 113 L/min  
Net Weight: ..... 1.48 kg



## AIR RIVETER AT-6217

Max Capacity: ..... 6.4 mm alum.  
Max Power: ..... 1413 kg  
Stroke Length: ..... 19 mm  
Overall Length: ..... 260 mm  
Air Consumption: .. 1.00 L/min  
Net Weight: ..... 2.00 kg



## AIR RIVETER AT-6013

Max Capacity: ..... 4.00 mm alum.  
Max Power: ..... 410 kg  
Stroke Length: ..... 20 mm  
Overall Length: ..... 165 mm  
Air Consumption: .. 0.60 L/min  
Net Weight: ..... 0.90 kg



## AIR RIVETER AT-6013A

Max Capacity: ..... 4.8 mm alum.  
Max Power: ..... 910 kg  
Stroke Length: ..... 21 mm  
Overall Length: ..... 216 mm  
Air Consumption: .. 0.95 L/min  
Net Weight: ..... 1.40 kg



## AIR RIVETER AT-6315K

Max Capacity: ..... 4.8 mm alum.  
Max Power: ..... 720 kg  
Stroke Length: ..... 14 mm  
Overall Length: ..... 230 mm  
Air Consumption: .. 0.85 L/min  
Net Weight: ..... 1.5 kg




## AIR SPIN PULL AT-6300

Rivet Nut Capacity: M3-M5  
Free Speed: ..... 2100 rpm  
Overall Length: ..... 202 mm  
Air Consumption: .. 283 L/min  
Net Weight: ..... 1.11 kg



## AIR SPIN PULL AT-6301

Rivet Nut Capacity: M5-M8  
Free Speed: ..... 800 rpm  
Overall Length: ..... 233 mm  
Air Consumption: .. 283 L/min  
Net Weight: ..... 1.31 kg



## AIR SPIN PULL AT-6150

Rivet Nut Capacity: M3-M12  
Max Power: ..... 24.8-34.7 KN  
Overall Length: ..... 295 mm  
Air Consumption: .. --- L/min  
Net Weight: ..... 2.5 kg



## AIR SANDER AT-7070

Pad Size: ..... 7 Inch  
Free Speed: ..... 2000 rpm  
Overall Length: ..... 180 mm  
Air Consumption: .. 396 L/min  
Net Weight: ..... 1.86 kg



## AIR SANDER AT-7073

Pad Size: ..... 7 Inch  
Free Speed: ..... 5000 rpm  
Overall Length: ..... 330 mm  
Air Consumption: .. 255 L/min  
Net Weight: ..... 1.88 kg



## AIR SANDER AT-7002C5

Pad Size: ..... 5 Inch  
Free Speed: ..... 10000 rpm  
Overall Length: ..... 168 mm  
Air Consumption: .. 212 L/min  
Net Weight: ..... 1.00 kg



*Orbital*

## AIR SANDER AT-7002C6

Pad Size: ..... inch  
Free Speed: ..... 10000 rpm  
Overall Length: ..... 168 mm  
Air Consumption: .. 212 L/min  
Net Weight: ..... 1.02 kg



*Orbital*

## AIR SANDER AT-7204CS

Pad Size: ..... 5 inch  
Free Speed: ..... 10000 rpm  
Overall Length: ..... 140 mm  
Air Consumption: .. 226 L/min  
Net Weight: ..... 0.66 kg



*Orbital*

## AIR SANDER AT-7215B

Pad Size: ..... 2 inch  
Free Speed: ..... 15000 rpm  
Overall Length: ..... 152 mm  
Air Consumption: .. 240 L/min  
Net Weight: ..... 0.8 kg



*Orbital*



# AIR BELT SANDER, C Ring & Spray Gun

## BELT SANDER AT-7010

Belt Size: ..... 20x520 mm  
Free Speed: ..... 16000 rpm  
Overall Length: ..... 360 mm  
Air Consumption: .. 226 L/min  
Net Weight: ..... 1.16 kg



## BELT SANDER AT-7221

Belt Size: ..... 10x330 mm  
Free Speed: ..... 17000 rpm  
Overall Length: ..... 326 mm  
Air Consumption: .. 226 L/min  
Net Weight: ..... 1.88 kg



## BELT SANDER AT-7110

Belt Size: ..... 60x260 mm  
Free Speed: ..... 6000 rpm  
Overall Length: ..... 185 mm  
Air Consumption: .. 226 L/min  
Net Weight: ..... 1.40 kg



## JITTERBUG SANDER AT-7018

Pad Size: ..... 93x176 mm  
Free Speed: ..... 8000 rpm  
Overall Length: ..... 185 mm  
Air Consumption: .. 198 L/min  
Net Weight: ..... 1.90 kg



## VIBRATION FILE AT-6067

Shank Size: ..... Ø 5  
Storke: ..... 12000 bpm  
Storke Length: ..... 3-5 mm  
Overall Length: ..... 205 mm  
Air Consumption: .. 142 L/min  
Net Weight: ..... 0.54 kg



## VIBRATION FILE AT-6068

Shank Size: ..... Ø 5  
Storke: ..... 10000 bpm  
Storke Length: ..... 7-10 mm  
Overall Length: ..... 195 mm  
Air Consumption: .. 113 L/min  
Net Weight: ..... 0.64 kg



## C RING AT-3303

Shank Dia: ..... 1.8 mm  
Open Dia: ..... 23.9x12 mm  
Closure Dia : ..... 8.9-10.7 mm  
Overall Length: ..... 374 mm  
Net Weight: ..... 1.45 kg



## LONG NOSE C RING AT-3303L

Shank Dia: ..... 1.8 mm  
Open Dia: ..... 23.9x12 mm  
Closure Dia : ..... 8.9-10.7 mm  
Overall Length: ..... 389 mm  
Net Weight: ..... 1.60 kg



## AIR SPRAY GUN AS-1015CG

Standard Nozzle: ..... 1.4 mm  
Pattern Width: ..... 270-280 mm  
Capacity Cup : ..... 600 cc  
Air Consumption: .. 283 L/min  
Net Weight: ..... 0.62 kg



Gravity type

## AIR SPRAY GUN AS-1002

Standard Nozzle: ... (A) 1.4 mm  
..... (B) 1.7 mm  
..... (C) 2 mm  
Pattern Width: ..... 250-300 mm  
Capacity Cup : ..... 600 cc  
Air Consumption: ..... 283 L/min  
Net Weight: ..... 0.62 kg



Gravity type

## AIR SPRAY GUN AS-1001

Standard Nozzle: ..... 0.8 mm  
Pattern Width: ..... 130-140 mm  
Capacity Cup : ..... 125 cc  
Air Consumption: .. 114 L/min  
Net Weight: ..... 0.28 kg



Gravity type

## AIR SPRAY GUN AA-5001

Standard Nozzle: ..... --- mm  
Pattern Width: ..... --- mm  
Capacity Cup : ..... --- cc  
Air Consumption: ..... --- L/min  
Net Weight: ..... --- kg



Gasoline Type

## AIR GREASE GUN AT-6036

Capacity: ..... 400 cc  
Output Pressure: ... 3600 psi  
Net Weight: ..... 1.4 kg



## AIR GREASE GUN AT-6036L

Capacity: ..... 500 cc  
Output Pressure: ... 3600 psi  
Net Weight: ..... 1.5 kg



## AIR GREASE GUN AT-6036K

Capacity: ..... 400 cc  
Output Pressure: ... 3600 psi  
Net Weight: ..... 1.4 kg



1 Pc AT-6036 Grease Gun  
1 Pc Manual Operated Gun head  
1 Pc 1/4" Quick Coupler  
1 Pc Hose Fitting  
1 Pc Metallic Bend Spout  
1 Pc 9" High Pressure Nylon Hose





## HAMMER PISTOL TYPE AT-2010R

Power: ..... 1 kg  
Piston Stroke: ..... 41 mm  
Blow : ..... 4500 bpm  
Overall Length: ..... 133 mm  
Air Consumption: .. 283 L/min  
Net Weight: ..... 1.40 kg



## HAMMER PISTOL TYPE AT-2020R

Power: ..... 2 kg  
Piston Stroke: ..... 66 mm  
Blow : ..... 3000 bpm  
Overall Length: ..... 178 mm  
Air Consumption: .. 283 L/min  
Net Weight: ..... 1.60 kg



## HAMMER PISTOL TYPE AT-2030R

Power: ..... 3 kg  
Piston Stroke: ..... 92 mm  
Blow : ..... 2200 bpm  
Overall Length: ..... 216 mm  
Air Consumption: .. 283 L/min  
Net Weight: ..... 2.04 kg



## HAMMER STRAIGHT AT-2210

Power: ..... 0.4 kg  
Piston Stroke: ..... 31 mm  
Blow : ..... 5400 bpm  
Overall Length: ..... 165 mm  
Air Consumption: .. 85 L/min  
Net Weight: ..... 0.4 kg



## HAMMER STRAIGHT AT-2511

Power: ..... 1.6 kg  
Piston Stroke: ..... — mm  
Blow : ..... 4800 bpm  
Overall Length: ..... 330 mm  
Air Consumption: .. 113 L/min  
Net Weight: ..... 1.19 kg



## HAMMER STRAIGHT AT-2512

Power: ..... 2.5 kg  
Piston Stroke: ..... — mm  
Blow : ..... 4400 bpm  
Overall Length: ..... 290 mm  
Air Consumption: .. 226 L/min  
Net Weight: ..... 2.60 kg



## AIR SAND RAMMER AT-2402

Power: ..... 1.6 kg  
Piston Stroke: ..... 58 mm  
Blow : ..... 1500 bpm  
Overall Length: ..... 280-360 mm  
Air Consumption: .. 170 L/min  
Net Weight: ..... 1.60 kg



## AIR SAND RAMMER AT-2403

Power: ..... 3 kg  
Piston Stroke: ..... 85 mm  
Blow : ..... 1000 bpm  
Overall Length: ..... 380-470 mm  
Air Consumption: .. 226 L/min  
Net Weight: ..... 2.95 kg



## AIR SAND RAMMER AT-2404

Power: ..... 6 kg  
Piston Stroke: ..... 123 mm  
Blow : ..... 800 bpm  
Overall Length: ..... 500-660 mm  
Air Consumption: .. 340 L/min  
Net Weight: ..... 6.0 kg



## AIR NEEDLE SCALER AT-2500

Standard Needles:  $\emptyset$  3x180x19 pcs  
Blow : ..... 3000 bpm  
Overall Length: ..... 318 mm  
Air Consumption: .. 113 L/min  
Net Weight: ..... 2.80 kg



## AIR NEEDLE SCALER AT-2505

Standard Needles:  $\emptyset$  3x180x19 pcs  
Blow : ..... 3000 bpm  
Overall Length: ..... 332 mm  
Air Consumption: .. 113 L/min  
Net Weight: ..... 2.60 kg



## AIR CAULKING GUN AT-6040

Capacity: ..... 310 ml  
Overall Length: ..... 305 mm  
Air Consumption: .. 56 L/min  
Net Weight: ..... 1.10 kg



For Cartridge

## AIR CAULKING GUN AT-6046

Capacity: ..... 600 ml  
Overall Length: ..... 450 mm  
Air Consumption: .. 56 L/min  
Net Weight: ..... 1.90 kg



For Sachet

## AIR CAULKING GUN AT-6042

Capacity: ..... 310 ml  
Overall Length: ..... 350 mm  
Air Consumption: .. 56 L/min  
Net Weight: ..... 0.96 kg



For Cartridge & Sachet

## AIR CAULKING GUN AT-6047

Capacity: ..... 310-600 ml  
Overall Length: ..... 437 mm  
Air Consumption: .. 56 L/min  
Net Weight: ..... 0.93 kg



For Sachet



# AIR METAL SHEAR / NIPPER

**PUMA**  
AIR CENTER

## METAL SHEAR AT-6020

Cutting Capacity: ... 1.2 Steel  
1.4 Alum.  
Free Speed: ..... 2500 rpm  
Overall Length: ..... 255 mm  
Air Consumption: .. 226 L/min  
Net Weight: ..... 1.10 kg



## METAL SHEAR AT-6024

Cutting Capacity: ... 1.2 Steel  
1.4 Alum.  
Free Speed: ..... 2500 rpm  
Overall Length: ..... 300 mm  
Air Consumption: .. 226 L/min  
Net Weight: ..... 1.15 kg



## METAL SHEAR AT-6021

Cutting Capacity: ... 1.2 Steel  
1.4 Alum.  
Free Speed: ..... 2500 rpm  
Overall Length: ..... 215 mm  
Air Consumption: .. 198 L/min  
Net Weight: ..... 1.14 kg



## METAL SHEAR AT-6023

Cutting Capacity: ... 1.2 Steel  
1.4 Alum.  
Free Speed: ..... 2500 rpm  
Overall Length: ..... 255 mm  
Air Consumption: .. 226 L/min  
Net Weight: ..... 1.35 kg



## AIR NIPPER AT-6072

Cutting Capacity: ... Iron 0.5  
Copper 1mm  
Overall Length: ..... 120 mm  
Air Consumption: .. 0.06 L/Cycle  
Net Weight: ..... 0.17 kg



## AIR NIPPER AT-6073

Cutting Capacity: ... Iron 1.00  
Copper 1.6mm  
Overall Length: ..... 136 mm  
Air Consumption: .. 0.12 L/Cycle  
Net Weight: ..... 0.26 kg



## AIR NIPPER AT-6074

Cutting Capacity: ... Iron 2.00  
Copper 2.6mm  
Overall Length: ..... 170 mm  
Air Consumption: .. 0.23 L/Cycle  
Net Weight: ..... 0.34 kg



## AIR NIPPER AT-6075

Cutting Capacity: ... Iron 2.8  
Copper 3.3mm  
Overall Length: ..... 207 mm  
Air Consumption: .. 0.58 L/Cycle  
Net Weight: ..... 0.56 kg



## AIR BRUSH AB-1005

Fluid Nozzle: ..... 0.2 mm  
Cup Capacity: ..... 1x7 cc  
1x15 cc



## AIR BRUSH AB-1007

Fluid Nozzle: ..... 0.3 mm  
Cup Capacity: ..... 7 cc



## PUNCH & FLANGE AT-6053

Capacity: ..... 1.4 mm  
Punch Hole: ..... Ø 5 mm  
Flange width: ..... 12 mm  
Overall Length: ..... 185 mm  
Air Consumption: .. 110 L/min  
Net Weight: ..... 1 kg



## AIR TAPPING AT-6081

Capacity: ..... 6-8 Iron  
6-12 Copper  
6-12 Alum.  
Free Speed: ..... 350 rpm  
Overall Length: ..... 200 mm  
Air Consumption: .. 226 L/min  
Net Weight: ..... 1.06 kg



## AIR KNIFE AT-6014

Knife Oscillation: ... 20000 per/min  
Cutting Distance: .. 3 mm  
Overall Length: ..... 200 mm  
Air Consumption: .. 226 L/min  
Net Weight: ..... 1.06 kg



**مونتاژ تکنیک**  
Inheritance Technique

خیابان امام خمینی، نرسیده به میخان حسن آباد، پاساژ رشید، طبقه همگف، پلاک ۹  
تلفن: ۶۶۷۵۰۰۲۵ (خط ویژه) فکس: ۶۶۷۵۰۰۲۷ واتس آپ: ۹۳۹۶۷۵۰۰۲۵  
www.pumaair.ir E-mail: info@pumaair.ir

Made in TAIWAN





SAW BLADE

تیغه اره آهن بر



SAW BLADE

تیغه اره چوب بر



AIR HAMMER COUPLING (Automatic)

کوپلینگ اتوماتیک چکش بادی



AIR HAMMER RETAINER (Open type)

فنر چکش بادی



M4-PULL-SETTER HEAD KIT

سر مهره پرچ M4



M5-PULL-SETTER HEAD KIT

سر مهره پرچ M5



M6-PULL-SETTER HEAD KIT

سر مهره پرچ M6



M8-PULL-SETTER HEAD KIT

سر مهره پرچ M8

